

1. Mytar B., Gawlicka M., Szatanek R., Wołoszyn M., Ruggiero I., Piekarska B., Zembala M. Induction of intracellular cytokine production in human monocytes/macrophages stimulated with ligands of pattern recognition receptors. *Inflamm. Res.* 2004, 53: 100-106. **IF 2,23**
2. Węglarczyk K., Baran J., Zembala M., Pryjma J. Caspase-8 activation precedes alterations of mitochondrial membrane potential during monocyte apoptosis induced by phagocytosis and killing of *Staphylococcus aureus*. *Infect. Immun.* 2004, 72: 2590-2597. **IF 3,875**
3. Lauterbach R., Pawlik D., Zembala M., Szymura-Oleksiak J., Lisowska-Miszczuk I., Kowalczyk D., Bury J. Pentoxifylline in prevention and treatment of chronic lung disease. *Acta Ped. (supplement)*, 2004, 93: 20-22. **IF 1,13**
4. Siedlar M., Frankenberger M., Benkhart E., Espevik T., Quirling M., Brand K., Zembala M., Ziegler-Heitbrock I. Tolerance induced by the lipopeptide Pam₃Cys is due to ablation of IL-1R-Associated Kinase-1. *J. Immunol.*, 2004, 173: 2736-2745. **IF 7,0**
5. Baj-Krzyworzeka M., Baran J., Szatanek R., Stankiewicz D., Siedlar M., Zembala M. Prevention and reversal of tumor cell-induced monocyte deactivation by cytokines, purified protein derivative (PPD), and anti-IL-10 antibody. *Cancer Immunity*, 2004, 25: 4 - 8. **IF 2,38**
6. Mytar B., Wołoszyn M., Macura-Biegun A., Hajto B., Ruggiero I., Piekarska B., Zembala M. Involvement of pattern recognition receptors in the induction of cytokines and reactive oxygen intermediates production by human monocytes/macrophages stimulated with tumour cells. *Anticancer Res.*, 2004, 24: 2287-2293. **IF 1,7**
7. Szaflarska A., Baj-Krzyworzeka M., Siedlar M., Węglarczyk K., Ruggiero I., Hajto B., Zembala M. Antitumor response of CD14⁺/CD16⁺ monocyte subpopulation. *Exp. Hematol.*, 2004, 32: 748-755. **IF 4,01**
8. Popiela T., Kulig J., Czupryna A., Szczepanik M. A., Zembala M. Efficiency of adjuvant immunochemotherapy following curative resection In patients with locally advanced gastric cancer. *Gastric Cancer*, 2004, 7: 240-245.
9. Baran J., Baj-Krzyworzeka M., Węglarczyk K., Ruggiero I., Zembala M. Modulation of monocyte-tumour cell interactions by *Mycobacterium vaccae*. *Cancer Immunol. Immunother.*, 2004, 53: 1127-1134. **IF 4,09**
- 10 Ratajczak J., Reza R., Kucia M., Majka M., Allendorf D.J., Baran J., Janowska-Wieczorek A., Wetsel R.A., Ross G.D., Ratajczak M.Z. Mobilization studies in mice

deficient in either C3 or C3a-receptor (C3aR) reveal a novel role for complement in retention of hematopoietic stem/progenitor cells in bone marrow. *Blood*, 2004, 103: 2071. **IF 10,12**

11. Hong F., Yan J., Baran J., Allendorf D.J., Hansen R., Ostroff G.R., Cheung N-K.V., Ross G.D. Mechanism by which orally administered β -glucans enhance the activity of anti-tumor antibodies. *Journal of Immunology*, 2004, 173, 797. **IF 6,702**
12. Ratajczak M.Z., Reza R., Wysoczynski M., Kucia M., Baran J., Allendorf D.J., Ratajczak J., Ross G.D. Transplantation studies in C3-deficient animals reveal a novel role of the third complement component (C3) in engraftment of bone marrow cells. *Leukemia*, 2004, 18: 1482. **IF 5,116**
13. Szaflarska A., Kowalczyk D. Limfocyty T z receptorem $\alpha\alpha$ w izolowanym niedoborze IgA. *Alergologia Immunologia*, 2004, 4, 97
14. Siedlar M., Szaflarska A., Szczepanik A., Ruggiero I., Frankenberger M., Szatanek R., Czupryna A., Popiela T., Zembala M. Depressed tumor necrosis factor alpha and interleukin-12p40 production by peripheral blood mononuclear cells of gastric cancer patients: Association with IL-1R-Associated Kinase-1 protein expression and disease stage. *Int. J. Cancer*, 2005, 114: 144-152. **IF 4,37**
15. Allendorf D.J., Yan J., Ross G.D., Hansen R.D., Baran J.T., Subbarao K., Haribabu B. Requirement for leukotriene B₄-amplified C5a-mediated neutrophil chemotaxis in tumor immunotherapy mediated by anti-tumor mAb and β glucan. *Journal of Immunology*, 2005, 174: 7050. **IF 6,486**
16. Baj-Krzyworzeka M., Szatanek R., Węglarczyk K., Baran J., Ratajczak M.Z., Zembala M. Tumour-derived microvesicles carry several surface determinants and mRNA of tumour cells and transfer some of these determinants to monocytes. *Cancer Immunol.Immunother.*, 2006, 55: 808-818. **IF 4.09**
17. Kowalczyk D., Macura-Biegun A., Zembala M. The expression of CD40 on monocytes of children with primary humoral immunodeficiencies. *Pediatric Research*, 2006, 59: 816-819. **IF 2.88**
18. Strach M., Siedlar M., Kowalczyk D., Zembala M., Grodzicki T. Sepsis caused by *Veillonella parvula* infection in a 17-year-old patient with X-linked agammaglobulinemia (Bruton's Disease)., *J. Clin. Microbiol.*, 2006, 44: 2655-2656. **IF 3.44**
19. Krocak T.J., Baran J., Pryjma J., Siedlar M., Reshedi I., Hernandez E., Alberti E., Maddika S., Los M. The emerging importance of DNA mapping and other comprehensive screening techniques, as tools to identify new drug targets and as a means of (cancer) therapy personalisation., *Expert Opinion Ther.*, 2006, Targets 10, 289-302.
20. Cramer D.E., Allendorf J., Baran J.T., Hansen R., Marroquin J., Li B., Ratajczak J., Ratajczak M.Z., Yan J. β glucan enhances complement-mediated hematopoietic recovery after bone marrow injury., *Blood*, 2006, 107, 835. **IF 9,784**

21. Pituch-Noworolska A., Kołodziejczyk P., Kulig J., Drabik G., Szczepanik A., Czupryna A., Popiela T., Zembala M. Circulating tumour cells and survival of patients with gastric cancer. *Anticancer Res.*, 2007, 27: 635-640. **IF 1.60**
22. Stec M., Węglarczyk K., Baran J., Zuba E., Mytar B., Pryjma J., Zembala M. Expansion and differentiation of CD14⁺CD16⁻ and CD14⁺⁺CD16⁺ human monocyte subsets from cord blood CD34⁺hematopoietic progenitors., *J. Leukoc. Biol.*, 2007, 82: 1-9. **IF 4,63**
23. Kołodziejczyk P., Pituch-Noworolska A., Drabik G., Kulig J., Szczepanik A., Sierzęga M., Gurda, A., Popiela, T., Zembala, M. The effects of preoperative chemotherapy on isolated tumour cells in the blood and bone marrow of gastric cancer patients., *Brit. J. Cancer*, 2007, 97: 589 - 592. **IF 4.12**
24. Baj-Krzyworzeka M., Szatanek R., Węglarczyk K., Baran J., Zembala M. Tumour-derived microvesicles modulate biological activity of human monocytes., *Immunol Lett.*, 2007, [Epub ahead of print]. **IF 2,352**
25. Mytar B., Baj-Krzyworzeka M., Majka M., Stankiewicz D., Zembala M. Human monocytes both enhance and inhibit the growth of human pancreatic cancer in SCID mice. *Anticancer Res.* (w druku) - **IF 1,7**

Łączny IF - 93.805

Zakład Transplantologii

I. PRACE ORYGINALNE:

1. Wędrychowicz A., Goździk J., Krasowska-Kwiecień A., Kacińska E., Wiecha O., Kubiczek K., Ratajczak M.Z.. Manifestation of toxocariasis in children with neuroblastoma treated with autologous hematopoietic transplants. *Pediatric Hematology & Oncology* 2006, 23, 369-379. **IF 0,53**
2. Kucia M, Wojakowski W, Reza R, Machaliński B, J. Goździk, Majka M, Baran J, Ratajczak J, Ratajczak MZ: The migration of bone marrow-derived non – hematopoietic tissue-committed stem cells is regulated In an SDF-1, HGF-, and LIF-dependent manner. *Arch Immunol Ther Exp* 2006; 54: 121-135. **IF 1,00**
3. Majka M., Drukała J., Leško E., Wysoczyński M., Jenson AB. Ratajczak MZ. SDF-1 alone and in co-operation with HGF regulates biology of human cervical carcinoma cells. *Folia Histochem Cytobiol.* 2006; 44(3):155-64. **IF 0,79**
4. Majka M., Ratajczak MZ., Biological role of the CXCR4-SDF-1 axis in normal human hematopoietic cells. *Methods Molecular Biology.* 2006; 332:103-14.
5. Kucia M., Reza R., Campbell FR., Zuba-Surma E., Majka M., Ratajczak J., Ratajczak MZ., A population of very small embryonic-like (VSEL) CXCR4(+)/SSEA-1(+)/Oct-4+ stem cells identified in adult bone marrow. *Leukemia.* 2006 May; 20(5):857-69. **IF 6,61**

6. Musiałek P, Tracz W., Skotnicki AB., Żmudka K., Pieniążek P., Walter Z., Szostek M., Majka M., Węglarska D., Zalewski J., Olszowska M., Kostkiewicz M., Pasowicz M., Klimeczek P., Przewłocki T., Transcoronary stem cell delivery using physiological endothelium-targeting perfusion technique: the rationale and a pilot study involving a comparison with conventional over-the-wire balloon coronary occlusions in patients after recent myocardial infarction. *Kardiologia Polska* 2006; 64: 5
7. Krasowska-Kwiecień A., Sancewicz-Pach K., Pogan A.: Idiopathic nephrotic syndrome in Polish children- its variants and associations with HLA. *Pediatr. Nephrol.* 2006, 21(12), 1837-1846. **IF 1,62**
8. Kucia M, Zhang YP, Reza R, Wysoczynski M, Machalinski B, Majka M, Ildstad ST, Ratajczak J, Shields CB, Ratajczak MZ. Cells enriched in markers of neural tissue-committed stem cells reside in the bone marrow and are mobilized into the peripheral blood following stroke. *Leukemia* 2005. **IF 6,61**
9. Wojakowski W, Tendera M, Zebzda A, Michalowska A, Majka M, Kucia M, Maslankiewicz K, Wyderka R, Krol M, Ochala A, Kozakiewicz K, Ratajczak MZ. Mobilization of CD34+, CD117+, CXCR4+, c-met+ stem cells is correlated with left ventricular ejection fraction and plasma NT-proBNP levels in patients with acute myocardial infarction. *European Heart Journal* 2005 **IF 7,34**
10. Wędrychowicz, H. Działkowiak, J. Nazim, K. Sztefko: Insulin-like growth factor-1 and its binding proteins, IGFBP-1 and IGFBP-3, in adolescents with type-1 diabetes mellitus and microalbuminuria. *Hormone Research* 2005, 63: 245-251. **IF 1,38**
11. Czyz J, Dziadziuszko R, Knopinska-Postuszay W, Hellmann A, Kachel L, Holowiecki J, Gozdzik J, Hansz J, Avigdor A, Nagler A, Osowiecki M, Walewski J, Mensah P, Jurczak W, Skotnicki A, Sedzimirska M, Lange A, Sawicki W, Sulek K, Wach M, Dmoszynska A, Kus A, Robak T, Warzocha K. Outcome and prognostic factors in advanced Hodgkin's disease treated with high-dose chemotherapy and autologous stem cell transplantation: a study of 341 patients. *Ann Oncol.* 2004 15:1222-30. **IF 4,32**
12. Czyz J, Szydło R, Knopinska-Posłuszny W, Hellmann A, Gozdzik J, Hansz J, Smolewski P, Robak T, Osowiecki M, Walewski J, Avigdor A, Nagler A, Zemelka T, Pawlicki M, Sawicki Z, Wojtukiewicz M, Kachel L, Holowiecki J, Charliniski G, Jedrzejczak WW. Treatment for primary refractory Hodgkin's disease: a comparison of high-dose chemotherapy followed by ASCT with conventional therapy. *Bone Marrow Transplant.* 2004 33:1225-9, **IF 2,64**
13. Janowska-Wieczorek A, Wysoczynski M, Kijowski J, Marquez-Curtis L, Machalinski B, Ratajczak J, Ratajczak MZ. Microvesicles derived from activated platelets induce metastasis and angiogenesis in lung cancer. *Int J Cancer.* 2005 113:752-60, **IF 4,70**
14. Kucia M, Dawn B, Hunt G, Guo Y, Wysoczynski M, Majka M, Ratajczak J, Rezzoug F, Ildstad ST, Bolli R, Ratajczak MZ. Cells expressing early cardiac markers reside in the bone marrow and are mobilized into the peripheral blood after myocardial infarction. *Circ Res.* 2004 95:1191-9. **IF 9,41**

- 15) Ratajczak MZ, Kucia M, Majka M, Reza R, Ratajczak J. Heterogeneous populations of bone marrow stem cells are we spotting on the same cells from the different angles? *Folia Histochem Cytobiol.* 2004 42:139-46. **IF 0,79**
- 16) Ratajczak J, Reza R, Kucia M, Majka M, Allendorf DJ, Baran JT, Janowska-Wieczorek A, Wetsel RA, Ross GD, Ratajczak MZ. Mobilization studies in mice deficient in either C3 or C3a receptor (C3aR) reveal a novel role for complement in retention of hematopoietic stem/progenitor cells in bone marrow. *Blood.* 2004 Mar 15;103(6):2071-8. **IF 10,13**
- 17) Ratajczak MZ, Kucia M, Reza R, Majka M, Janowska-Wieczorek A, Ratajczak J. Stem cell plasticity revisited: CXCR4-positive cells expressing mRNA for early muscle, liver and neural cells 'hide out' in the bone marrow. *Leukemia.* 2004 Jan;18(1):29-40 **IF 6,61**
18. Wedrychowicz A, Dziatkowiak H, Sztefko K, Wedrychowicz A. Interleukin-6 (IL-6) and IGF-IGFBP system in children and adolescents with type 1 diabetes mellitus. *Exp Clin Endocrinol Diabetes.* 2004 Sep;112(8):435-9. **IF 1,37**
- 19) Wojakowski W, Tendera M, Michalowska A, Majka M, Kucia M, Maslankiewicz K, Wyderka R, Ochala A, Ratajczak MZ. Mobilization of CD34/CXCR4+, CD34/CD117+, c-met+ stem cells, and mononuclear cells expressing early cardiac, muscle, and endothelial markers into peripheral blood in patients with acute myocardial infarction. *Circulation.* 2004 110:3213-20. **IF 11,63**
20. Zuba E., K. Węglarczyk, K. Barczyk, J. Pryjma Recognition of apoptotic cells by human peripheral blood monocytes does not alter their ability to phagocytose and kill *Staphylococcus aureus*. *Arch Immunol Ther Exp,* 2004, 52, 53-61. **IF 1,00**
21. Zuba E., M. Kawalec, K. Węglarczyk, W. Hryniewicz, J. Pryjma. Inefficient killing of *Enterococcus faecalis* by human monocytes and polymorphonuclear granulocytes. *Int. Rev Allergol Clin Immunol,* 2004, 10.

II. PRACE PRZEGLĄDOWE:

1. Majka M., Ratajczak MZ., Biological role of the CXCR4-SDF-1 axis in normal human hematopoietic cells. *Methods Mol Biol.* 2006; 332:103-14.
2. Bobis S., Jarocha D., Majka M., Mesenchymal stem cells: characteristics and clinical applications. *Folia Histochem Cytobiol.* 2006; vol 44; 4: 215-230. **IF 0,79**
3. Majka M, Kucia M, Ratajczak MZ. Stem cell biology – a never ending quest for understanding. *Biologia komórek macierzystych – niekończące się poszukiwania odpowiedzi.* *Acta Biochem. Pol.* 2005, 52, 353-358. **IF 1,86**
4. Ratajczak MZ. Cancer Stem Cells – Normal Stem Cells “Jedi” that went over to the “dark side”. *Folia Histochem. & Cytobiol.* 2005. **IF 0,79**

5. Kucia M., Goździk J., Ratajczak MZ., Bone Marrow as source of circulating CXCR4+ tissue committed stem cells. *Postępy Biologii Komórki* 2005
6. Lewicki M, Lewicka K, Kotyla PJ, Kotulska A, Goździk J, Blach A, Banas M, Kucharz EJ. Schnitzler's syndrome. *Pol Arch Med Wewn.* 2004 Jun;111(6):735-41.
7. Trzyna E., Ratajczak M. Z. Przegląd metod stosowanych w monitorowaniu chimeryzmu po alloprzeszczepach ze szczególnym uwzględnieniem technik molekularnych. *Acta Haematologica Polonica* 2004, 35: 27-41

Łączny IF 81,92